

Service Timber Auction: Saturday, 10 July, 2010

Lot	Pcs	Size		Description	Len	m3	Notes
1	1			1 LIFT OF OFFCUTS		-	
2	1			1 LIFT OF OFFCUTS		-	
3	1			1 LIFT OF OFFCUTS		-	
4	450	22	x 125	WANEY SAWN	1.80	2.227	
5	34	47	x 100	TANALISED SAWN	2.70	0.431	
6	34	47	x 100	TANALISED SAWN	2.70	0.431	
7	34	47	x 100	TANALISED SAWN	2.70	0.431	
8	34	47	x 100	TANALISED SAWN	2.70	0.431	
9	186	34	x 65	SAWN	1.20	0.493	
10	186	34	x 65	SAWN	1.20	0.493	
11	82	47	x 125	SAWN	2.20 Av	1.060	
12	26	75	x 100	TANALISED SAWN	2.29	0.447	
13	26	75	x 100	TANALISED SAWN	2.29	0.447	
14	64	47	x 125	SAWN	2.70	1.015	
15	23	47	x 125	SAWN	3	0.405	
16	12	47	x 125	SAWN	2.40	0.169	
17	104	47	x 75	WEATHERED SAWN	2.40	0.880	
18	70	47	x 150	WEATHERED SAWN	2.40	1.184	
19	100	47	x 75	WEATHERED SAWN	2.40	0.846	
20	104	47	x 75	WEATHERED SAWN	2.40	0.880	
21	56	47	x 75	PLANED	2.60 Av	0.513	
22	63	47	x 175	SAWN	2.70	1.399	
23	24	47	x 100	TANALISED SAWN	2.70	0.305	
24	28	47	x 150	SAWN	2.70	0.533	
25	24	50	x 150	REJECT YELLOW PINE	2.46	0.443	
26	34	47	x 100	TANALISED SAWN	2.70	0.431	
27	34	47	x 100	TANALISED SAWN	2.70	0.431	
28	34	47	x 100	TANALISED SAWN	2.70	0.431	
29	41	75	x 75	TANALISED POSTS	1.80	0.415	
30	96	40	x 145	PLANED	1.40 Av	0.780	
31	100	19	x 100	PLANED	2.70	0.513	
32	300	19	x 50	PLANED	2.80 Av	0.798	
33	1			1 LIFT OF OFFCUTS		-	
34	234	25	x 170	TANALISED PLANED	1.20	1.193	
35	1			1 LIFT OF OFFCUTS		-	
36	1			1 LIFT OF OFFCUTS		-	
37	1			1 LIFT OF OFFCUTS		-	
38	405	30	x 75	TANALISED PLANED	0.76	0.693	
39	540	30	x 75	TANALISED PLANED	0.76	0.923	
40	480	32	x 100	SAWN	1.80	2.765	
41	470	18	x 20	PLANED	1.50	0.254	
42	1			1 LIFT OF OFFCUTS		-	
43	1			1 LIFT OF OFFCUTS		-	
44	220	25	x 100	SAWN	1.50	0.825	
45	28	35	x 145	PLANED	1.45	0.206	
46	115	25	x 175	SAWN	1.30 Av	0.654	
47	192	16	x 125	REDWOOD SHIPLAP	3.30	1.267	
48	192	16	x 125	REDWOOD SHIPLAP	3.30	1.267	
49	192	16	x 125	REDWOOD SHIPLAP	3.30	1.267	
50	183	38	x 38	PLANED	2.40	0.634	

Service Timber Auction: Saturday, 10 July, 2010

Lot	Pcs	Size		Description	Len	m3	Notes
51	1,089	32	x 32	SPINDLE BLANKS	0.90	1.004	
52	1,149	32	x 32	SPINDLE BLANKS	0.90	1.059	
53	176	16	x 125	REDWOOD SHIPLAP	3.30	1.162	
54	192	16	x 125	REDWOOD SHIPLAP	3	1.152	
55	164	16	x 125	PTGV	3.90	1.279	
56	168	16	x 125	PTGV	3.90	1.310	
57	168	16	x 125	PTGV	3.90	1.310	
58	188	38	x 38	PLANED	2.40	0.652	
59	188	38	x 38	PLANED	2.40	0.652	
60	192	38	x 38	PLANED	2.40	0.665	
61	184	38	x 38	PLANED	2.40	0.638	
62	172	38	x 38	PLANED	2.40	0.596	
63	182	21	x 150	REDWOOD PLANED	4.80 Av	2.752	
64	360	30	x 50	PLANED	4.20	2.268	
65	106	25	x 75	PLANED	3.90	0.775	
66	106	25	x 75	PLANED	3.90	0.775	
67	106	25	x 75	PLANED	3.90	0.775	
68	83	32	x 100	PTGV	4.50	1.195	
69	53	25	x 175	REDWOOD PLANED	4.20 Av	0.974	
70	54	25	x 175	REDWOOD PLANED	4.20 Av	0.992	
71	87	22	x 175	PTG	3.60	1.206	
72	87	22	x 175	PTG	3.60	1.206	
73	117	16	x 125	SHIPLAP	3.90	0.913	
74	157	19	x 100	PTG	4.20 Av	1.253	
75	154	19	x 100	PTG	3.40 Av	0.995	
76	144	16	x 125	REDWOOD SHIPLAP	5.10	1.469	
77	128	16	x 125	REDWOOD SHIPLAP	5.10	1.306	
78	70	25	x 150	PTGV	4.20 Av	1.102	
79	168	38	x 33	PLANED	2.70	0.569	
80	192	38	x 33	PLANED	2.70	0.650	
81	191	38	x 33	PLANED	2.70	0.647	
82	192	38	x 33	PLANED	2.70	0.650	
83	192	38	x 33	PLANED	2.70	0.650	
84	192	16	x 125	REDWOOD SHIPLAP	3	1.152	
85	220	16	x 125	PTGV	2.70	1.188	
86	230	16	x 125	PTGV	2.70	1.242	
87	236	16	x 125	PTGV	2.70	1.274	
88	122	47	x 75	PLANED	4.20	1.806	
89	130	16	x 125	REDWOOD SHIPLAP	4.50	1.170	
90	128	16	x 125	REDWOOD SHIPLAP	3.90	0.998	
91	130	16	x 125	REDWOOD SHIPLAP	4	1.040	
92	89	19	x 140	PLANED	3.70	0.876	
93	97	19	x 140	PLANED	3.70	0.955	
94	90	22	x 125	PTG	3.90 Av	0.965	
95	90	22	x 125	PTG	3.90 Av	0.965	
96	60	32	x 150	DOOR CASINGS	4.20	1.210	
97	60	32	x 150	DOOR CASINGS	4.20	1.210	
98	144	16	x 125	PTG	4.80	1.382	
99	130	19	x 100	REDWOOD LOGLAP	4.20	1.037	
100	130	19	x 100	REDWOOD LOGLAP	4.20	1.037	

Service Timber Auction: Saturday, 10 July, 2010

Lot	Pcs	Size		Description	Len	m3	Notes
101	130	19	x 100	REDWOOD LOGLAP	4.20	1.037	
102	115	16	x 125	SHIPLAP	3.80 Av	0.874	
103	100	21	x 44	DADO RAIL	4.20	0.388	
104	128	19	x 125	REDWOOD SKIRTINGS	3.70	1.125	
105	128	19	x 125	REDWOOD SKIRTINGS	3.70	1.125	
106	42	32	x 100	PTGV	4.80	0.645	
107	126	25	x 175	PTGV	4.50 Av	2.481	
108	35	19	x 100	REDWOOD LOGLAP	4.20	0.279	
109	27	25	x 125	LOGLAP	3	0.253	
110	12	22	x 175	DUAL SKIRTINGS	3.90	0.180	
111	32	19	x 100	REDWOOD LOGLAP	4.20	0.255	
112	14	22	x 175	DUAL SKIRTINGS	3.90	0.210	
113	23	32	x 100	PTGV	4.20	0.309	
114	25	35	x 45	PLANED	4.20	0.165	
115	27	16	x 125	SHIPLAP	4.80	0.259	
116	28	25	x 150	PTGV	3.90	0.410	
117	15	75	x 75	REDWOOD PLANED	5.10 Av	0.430	
118	13	19	x 140	PLANED	5.40	0.187	
119	16	25	x 125	DUAL SKIRTINGS	3.90	0.195	
120	20	36	x 100	TANALISED RAILS	3.90	0.281	
121	20	36	x 100	TANALISED RAILS	3.90	0.281	
122	20	36	x 100	TANALISED RAILS	3.90	0.281	
123	20	36	x 100	TANALISED RAILS	3.90	0.281	
124	20	36	x 100	TANALISED RAILS	3.90	0.281	
125	20	36	x 100	TANALISED RAILS	3.90	0.281	
126	20	36	x 100	TANALISED RAILS	3.90	0.281	
127	20	36	x 100	TANALISED RAILS	3.90	0.281	
128	12	50	x 200	TANALISED PLANED	4.20	0.504	
129	12	50	x 200	TANALISED PLANED	4.20	0.504	
130	12	50	x 200	TANALISED PLANED	4.20	0.504	
131	12	50	x 200	TANALISED PLANED	4.20	0.504	
132	17	44	x 175	TANALISED PLANED	3.90	0.511	
133	17	44	x 175	TANALISED PLANED	3.90	0.511	
134	17	44	x 175	TANALISED PLANED	3.90	0.511	
135	17	44	x 175	TANALISED PLANED	3.90	0.511	
136	15	47	x 175	TANALISED PLANED	3.60	0.444	
137	15	47	x 175	TANALISED PLANED	3.60	0.444	
138	15	47	x 175	TANALISED PLANED	3.60	0.444	
139	15	47	x 175	TANALISED PALNED	3.60	0.444	
140	14	38	x 145	TANALISED PALNED	3.60	0.278	
141	14	38	x 145	TANALISED PLANED	3.60	0.278	
142	14	38	x 145	TANALISED PLANED	3.60	0.278	
143	14	38	x 145	TANALISED PLANED	3.60	0.278	
144	20	38	x 145	TANALISED PLANED	3.60	0.397	
145	20	38	x 145	TANALISED PALNED	3.60	0.397	
146	20	38	x 145	TANALISED PALNED	3.60	0.397	
147	20	38	x 145	TANALISED PALNED	3.60	0.397	
148	20	38	x 145	TANALISED PALNED	3.60	0.397	
149	20	38	x 145	TANALISED PLANED	3.60	0.397	
150	20	38	x 145	TANALISED PLANED	3.60	0.397	

Service Timber Auction: Saturday, 10 July, 2010

Lot	Pcs	Size		Description	Len	m3	Notes	
151	20	38	x	145	TANALISED PLANED	3.60	0.397	
152	36	22	x	175	SAWN	3.60	0.499	
153	38	22	x	175	SAWN	3.60	0.527	
154	38	22	x	175	SAWN	3.60	0.527	
155	399	36	x	37	SAWN	3	1.594	
156	49	47	x	150	PLANED	4.80	1.658	
157	23	44	x	200	SAWN	4.80	0.972	
158	16	44	x	200	SAWN	4.80	0.676	
159	68	36	x	150	WEATHERED SAWN	3.90	1.432	
160	147	25	x	75	SAWN	2.40	0.662	
161	147	25	x	75	SAWN	2.40	0.662	
162	147	25	x	75	SAWN	2.40	0.662	
163	147	25	x	75	SAWN	2.40	0.662	
164	120	35	x	35	WEATHERED PLANED	4.80	0.706	
165	120	35	x	35	WEATHERED PLANED	4.80	0.706	
166	120	35	x	35	WEATHERED PLANED	4.80	0.706	
167	120	35	x	35	WEATHERED PLANED	4.80	0.706	
168	120	35	x	35	WEATHERED PLANED	4.80	0.706	
169	50	25	x	125	REJECT SKIRTINGS	4.20	0.656	
170	72	47	x	75	PLANED	3	0.761	
171	72	47	x	75	PLANED	3	0.761	
172	72	47	x	75	PLANED	3.15 Av	0.799	
173	72	47	x	75	PLANED	3.60 Av	0.914	
174	49	25	x	75	PLANED	3.80 Av	0.349	
175	54	25	x	75	PLANED	3.40 Av	0.344	
176	35	25	x	75	SAWN	6	0.394	
177	380	22	x	75	PLANED	4.50 Av	2.822	
178	185	38	x	60	PLANED	4.60 Av	1.940	
179	89	40	x	145	SAWN	2.40	1.239	
180	84	40	x	60	SAWN	2.70	0.544	
181	80	50	x	225	PLANED	3.30	2.970	
182	40	75	x	75	TANALISED POSTS	3	0.675	
183	50	36	x	100	TANALISED RAILS	3.90	0.702	
184	41	36	x	100	TANALISED RAILS	3.90	0.576	
185	50	36	x	100	TANALISED RAILS	3.90	0.702	
186	50	36	x	100	TANALISED RAILS	3.90	0.702	
187	44	47	x	175	SAWN	2.60 Av	0.941	
188	38	36	x	125	SAWN	2.40	0.410	
189	41	30	x	150	UNTREATED DECKING	2.70	0.498	
190	51	25	x	150	TANALISED SAWN	2.40	0.459	
191	47	47	x	175	PLANED	5.40	2.088	
192	130	25	x	115	SAWN	4.80	1.794	
193	56	42	x	150	PLANED	4.80	1.693	
194	46	47	x	75	TANALISED PLANED	4.80	0.778	
195	308	25	x	50	SAWN	3.60	1.386	
196	153	25	x	50	SAWN	3.90	0.746	
197	155	25	x	50	SAWN	4.20	0.814	
198	43	36	x	100	TANALISED RAILS	3.90	0.604	
199	136	16	x	50	SAWN	3.60	0.392	
200	46	47	x	125	SAWN	4.20	1.135	

Service Timber Auction: Saturday, 10 July, 2010

Lot	Pcs	Size		Description	Len	m3	Notes	
201	45	47	x	125	SAWN	4.20	1.110	
202	46	47	x	125	SAWN	4.20	1.135	
203	148	25	x	50	SAWN	5.10	0.944	
204	10	25	x	175	SAWN	4.80	0.210	
205	124	47	x	75	SAWN	3.90	1.705	
206	150	30	x	40	SAWN	3	0.540	
207	150	30	x	40	SAWN	3	0.540	
208	150	30	x	40	SAWN	3	0.540	
209	150	30	x	40	SAWN	3	0.540	
210	35	47	x	225	PLANED	4.50	1.666	
211	32	47	x	225	PLANED	3.60	1.218	
212	20	44	x	150	SAWN	3.80	0.502	
213	316	35	x	35	PLANED	3.70 Av	1.432	
214	70	75	x	75	TANALISED POSTS	2.10	0.827	
215	70	75	x	75	TANALISED POSTS	2.10	0.827	
216	70	75	x	75	TANALISED POSTS	2.10	0.827	
217	84	16	x	38	TANALISED SAWN	1.50	0.077	
218	442	16	x	38	TANALISED SAWN	1.20	0.322	
219	628	16	x	38	TANALISED SAWN	1.80	0.687	
220	55	25	x	125	REJECT SHIPLAP	3.90 Av	0.670	
221	18	45	x	120	PLANED	3.90	0.379	
222	241	30	x	45	PLANED	4.80	1.562	
223	182	30	x	45	PLANED	4.80	1.179	
224	216	27	x	75	TANALISED BIGCROSS	1.36	0.595	
225	378	38	x	75	TANALISED CORNER NEWEL	1.13	1.217	
226	11	47	x	150	TANALISED PLANED	4.80	0.372	
227	84	22	x	120	PTG	5.40	1.198	
228	96	22	x	120	PTG	5.40	1.369	
229	310	10	x	100	SAWN	6	1.860	
230	81	47	x	75	TANALISED HANDRAIL	5.10	1.456	
231	78	47	x	75	TANALISED HANDRAIL	5.10	1.402	
232	32	34	x	120	PLANED	6	0.783	
233	16	75	x	150	WEATHERED SAWN	6.60	1.188	
234	9	75	x	225	SAWN	6	0.911	
235	72	25	x	75	SAWN	3	0.405	
236	126	25	x	75	SAWN	3	0.709	
237	116	25	x	75	SAWN	3	0.652	
238	124	25	x	75	SAWN	3	0.698	
239	128	25	x	75	SAWN	3	0.720	
240	20	36	x	100	TANALISED RAILS	3.90	0.281	
241	20	36	x	100	TANALISED RAILS	3.90	0.281	
242	20	36	x	100	TANALISED RAILS	3.90	0.281	
243	20	36	x	100	TANALISED RAILS	3.90	0.281	
244	20	36	x	100	TANALISED RAILS	3.90	0.281	
245	20	36	x	100	TANALISED RAILS	3.90	0.281	
246	20	36	x	100	TANALISED RAILS	3.90	0.281	
247	20	36	x	100	TANALISED RAILS	3.90	0.281	
248	232	16	x	125	PTGV	3.30	1.531	
249	240	16	x	125	PTGV	3.30	1.584	
250	44	32	x	70	PLANED	2.70	0.266	

Service Timber Auction: Saturday, 10 July, 2010

Lot	Pcs	Size		Description	Len	m3	Notes	
251	30	35	x	150	TANALISED PLANED	3.60	0.567	
252	29	50	x	75	REJECT CORNICE	3.90	0.424	
253	170	10	x	100	SAWN	6	1.020	
254	170	10	x	100	SAWN	6	1.020	
255	160	10	x	100	SAWN	6	0.960	
256	55	22	x	100	PTG	5.10	0.617	
257	190	19	x	44	DADO RAIL	4.80	0.762	
258	11	50	x	90	PLANED	4.20 Av	0.208	
259	24	47	x	250	SAWN	5.40	1.523	
260	24	47	x	250	SAWN	5.40	1.523	
261	24	47	x	250	SAWN	5.40	1.523	
262	24	47	x	250	SAWN	5.40	1.523	
263	100	65	x	70	ANGLED SAWN - BROWN	2.69	1.224	
264	100	65	x	70	ANGLED SAWN - BROWN	2.69	1.224	
265	104	65	x	70	ANGLED SAWN - BROWN	2.69	1.273	
266	34	47	x	150	SAWN	3	0.719	
267	51	47	x	150	SAWN	2.40	0.863	
268	38	100	x	100	TANALISED POSTS	2.40	0.912	
269	63	19	x	100	TANALISED SAWN	2.10	0.251	
270	378	38	x	75	INNER NEWELS TANALISED	0.96	1.034	
271	26	47	x	170	TANALISED PLANED	3.60	0.748	
272	85	40	x	75	SAWN	3.50 Av	0.893	
273	50	47	x	200	SAWN	4.20	1.974	
274	60	22	x	50	SAWN	3.90	0.257	
275	80	19	x	100	TANALISED LOGLAP	4.10 Av	0.623	
276	28	25	x	225	PLANED	4.30 Av	0.677	
277	86	40	x	75	SAWN	3.90 Av	1.006	
278	86	40	x	75	SAWN	3.90 Av	1.006	
279	1				1 LIFT HARDWOOD OFFCUTS		-	
280	24	36	x	100	TANALISED RAILS	3.90	0.337	
281	52	38	x	140	PLANED	3.90	1.079	
282	52	38	x	140	PLANED	3.90	1.079	
283	17	75	x	175	WEATHERED PLANED	3.60	0.803	
284	101	25	x	40	SAWN	3.90	0.394	
285	32	22	x	155	TANALISED PLANED	3.90	0.426	
286	94	22	x	180	PLANED	3.70 Av	1.377	
287	431	20	x	45	PLANED	4.20	1.629	
288	16	75	x	100	TANALISED POSTS	2.29	0.275	
289	16	75	x	100	TANALISED POSTS	2.29	0.275	
290	16	75	x	100	TANALISED POSTS	2.29	0.275	
291	16	75	x	100	TANALISED POSTS	2.29	0.275	
292	16	75	x	100	TANALISED POSTS	2.29	0.275	
293	16	75	x	100	TANALISED POSTS	2.29	0.275	
294	19	75	x	100	TANALISED POSTS	2.29	0.326	
295	16	75	x	100	TANALISED POSTS	2.29	0.275	
296	100	40	x	75	SAWN	3.60 Av	1.080	
297	100	40	x	75	SAWN	3.60 Av	1.080	
298	100	40	x	75	SAWN	3.60 Av	1.080	
299	121	16	x	75	SAWN	4.50	0.653	
300	17	50	x	150	REJECT YELLOW PINE	4.80	0.612	

Service Timber Auction: Saturday, 10 July, 2010

Lot	Pcs	Size		Description	Len	m3	Notes	
301	15	50	x	150	REJECT YELLOW PINE	4.70 Av	0.529	
302	15	50	x	150	REJECT YELLOW PINE	3.50 Av	0.394	
303	325	34	x	44	PLANED	4.80	2.334	
304	89	34	x	120	PLANED	4.80	1.743	
305	97	32	x	125	TANALISED DECKING	4.80	1.862	
306	6	38	x	175	TANALISED PLANED	4.80	0.192	
307	66	32	x	125	TANALISED DECKING	3	0.792	
308	66	32	x	125	TANALISED DECKING	3	0.792	
309	66	32	x	125	TANALISED DECKING	3	0.792	
310	88	32	x	125	TANALISED DECKING	3.60	1.267	
311	480	40	x	40	TANALISED SPINDLES	0.76	0.584	
312	1				1 LIFT MIXED SAWN		-	
313	35	47	x	125	PLANED	3.90	0.802	
314	35	47	x	125	PLANED	3.90	0.802	
315	576	11	x	125	TANALISED FEATHEREDGE	1.20	0.950	
316	576	11	x	125	TANALISED FEATHEREDGE	1.80	1.426	
317	130	38	x	65	PLANED	4.50	1.445	
318	40	34	x	120	PLANED	4.80	0.783	
319	90	47	x	75	PLANED	5.40	1.713	
320	49	47	x	125	SAWN	5.40	1.555	
321	330	19	x	100	PTG	2.50 Av	1.568	
322	60	32	x	125	TANALISED DECKING	3	0.720	
323	60	32	x	125	TANALISED DECKING	3	0.720	
324	60	32	x	125	TANALISED DECKING	3	0.720	
325	18	36	x	110	TANALISED RAILS	3.90	0.278	
326	34	50	x	50	PLANED	4.50	0.383	
327	100	35	x	35	PLANED	4.20	0.515	
328	30	30	x	75	PLANED	4.20	0.284	
329	405	34	x	44	PLANED	5.10	3.090	
330	14	38	x	175	TANALISED PLANED	4.88	0.454	
331	14	38	x	175	TANALISED PLANED	4.88	0.454	
332	14	38	x	175	TANALISED PLANED	4.88	0.454	
333	14	38	x	175	TANALISED PLANED	4.88	0.454	
334	14	38	x	175	TANALISED PLANED	4.88	0.454	
335	14	38	x	175	TANALISED PLANED	4.88	0.454	
336	14	38	x	175	TANALISED PLANED	4.88	0.454	
337	14	38	x	175	TANALISED PLANED	4.88	0.454	
338	420	27	x	50	SAWN	5.10	2.892	
339	95	25	x	75	PLANED	4.20	0.748	
340	32	19	x	75	PLANED	4.50	0.205	
341	17	36	x	100	PLANED	4.80	0.294	
342	20	50	x	50	PLANED	4.80	0.240	
343	191	16	x	75	SAWN	3.60	0.825	
344	132	16	x	75	SAWN	4.20	0.665	
345	168	25	x	100	SAWN	2.80 Av	1.176	
346	56	50	x	100	SAWN	2.70	0.756	
347	176	22	x	125	SAWN	3 Av	1.452	
348	244	25	x	100	SAWN	3.40 Av	2.074	
349	138	22	x	125	SAWN	2.70	1.025	
350	106	50	x	100	SAWN	3	1.590	

Service Timber Auction: Saturday, 10 July, 2010

Lot	Pcs	Size		Description	Len	m3	Notes	
351	138	22	x	125	SAWN	2.70	1.025	
352	138	22	x	125	SAWN	2.70	1.025	
353	72	44	x	145	PLANED	3.60	1.654	
354	58	44	x	145	PLANED	3.60	1.332	
355	30	22	x	175	SAWN	3	0.346	
356	73	25	x	100	SAWN	2.70	0.493	
357	144	50	x	50	REDWOOD PLANED	4.20 Av	1.512	
358	144	50	x	50	REDWOOD PLANED	4.20 Av	1.512	
359	144	50	x	50	REDWOOD PLANED	4.20 Av	1.512	
360	84	32	x	150	SAWN	3.90	1.572	
361	70	50	x	75	REDWOOD PLANED	4.50	1.181	
362	108	25	x	125	REDWOOD PTG	4.50	1.519	
363	108	25	x	125	REDWOOD SKIRTING	3.90 Av	1.316	
364	108	25	x	125	REDWOOD SKIRTING	3.90 Av	1.316	
365	108	25	x	125	REDWOOD SKIRTING	3.90 Av	1.316	
366	45	75	x	75	REDWOOD PLANED	4.30 Av	1.088	
367	45	75	x	75	REDWOOD PLANED	4.30 Av	1.088	
368	45	75	x	75	REDWOOD PLANED	4.30 Av	1.088	
369	108	25	x	125	REDWOOD PTG	4.50	1.519	
370	108	25	x	125	REDWOOD PTG	4.50	1.519	